

VYAS — ANISAKAN

*Note: The following sections in this chapter are intentionally left blank:
AD 2.16, AD 2.21, AD 2.22, AD 2.23, AD 2.24.*

VYAS AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VYAS — ANISAKAN

VYAS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	215721.48N 0962422.85E
2	Direction and distance from city	11.2KM South-West of City
3	Elevation/Reference temperature	953.9 M (3130 FT)/26.0°C
4	Geoid undulation at ARP	-46 M
5	MAG VAR/Annual change	1° W (1956)/annual change negligible
6	AD Administration, address, telephone, telefax, telex, AFS	DEPARTMENT OF CIVIL AVIATION Post: ANISAKAN AIRPORT MANDALAY DIVISION MYANMAR Tel: 95 85 2050431 AFTN: VYASYDYX
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Nil

VYAS AD 2.3 OPERATIONAL HOURS

1	AD Administration	HO
2	Customs and immigration	Nil
3	Health and sanitation	Health: Nil Sanitation: Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	
8	Fuelling	Nil
9	Handling	Nil
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

VYAS AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
---	----------------------------------	-----

2	Fuel/oil types	Fuel: Nil Oil: Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

VYAS AD 2.5 PASSENGER FACILITIES

1	Hotels	Numbers of Hotel in the city
2	Restaurants	Numbers of Restaurants in the city
3	Transportation	Taxi and pony-cart service available
4	Medical facilities	Nil
5	Bank and Post Office	Bank: Nil Post: Nil
6	Tourist Office	Travels and tour services in the city
7	Remarks	Nil

VYAS AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

←	1	AD category for fire fighting	CAT 3
←	2	Rescue equipment	CAT 3
	3	Capability for removal of disabled aircraft	Nil
	4	Remarks	Nil

VYAS AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

VYAS AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength and area	Surface: Concrete Strength: 395,987 kg Area: 183 M x 91 M
2	Taxiway width, surface and strength	Nil
3	ACL location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

VYAS AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Aircraft stand ID signs	Aircraft stand markings Taxiing guidance signs at all intersections with TWY and RWY at all holding positions: Guide lines at apron.
	TWY guide lines	
	Visual docking/parking guidance system of aircraft stands	
2	RWY and TWY markings and LGT	RWY: Designation, THR, TDZ Centre line aiming point, Edge markings. RWY: THR and End light, Edge Lighted.
3	Stop bars	Nil
4	Remarks	Nil

VYAS AD 2.10 AERODROME OBSTACLES

In Area 2

Designator	Part ID	Type	Coordinates	ELEV	HGT	Marking/LGT type, colour	Remarks
1	2	3	4	5	6	7	8
OBST 07	Nil	Building	220108.10N 0962645.27E	1132M	Nil	LGT	Nil
OBST 16	Nil	Building	220238.80N 0962458.98E	1133M	Nil	LGT	Nil
OBST 15	Nil	Building	220323.25N 0962310.63E	1255M	Nil	LGT	Nil
OBST 24(TOWER)	Nil	Antenna	215331.37N 0962332.06E	1143M	Nil	LGT	Nil
KYIMG TAUNG	Nil	Building	215506.76N 0962437.97E	1269M	Nil	LGT	Nil

In Area 3

Designator	Part ID	Type	Coordinates	ELEV	HGT	Marking/LGT type, colour	Remarks
1	2	3	4	5	6	7	8
Nil							

VYAS AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Nil
---	------------------------------	-----

VYAS AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY Designations	TRUE & MAG BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR & RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
03	026°	3048 M x 61	395,987 KG	215636.51N0962400.59E	947.9M
21	206°	M	Concrete	215806.46N0962445.14E	953.9M

Slope of RWY-SWY	SWY dimensions	CWY dimensions (M)	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
0.2%	61 M x 61 M	Nil	3353 M x 150 M	Nil	Nil

VYAS AD 2.13 DECLARED DISTANCES

RWY Designator	THR or start of take off run	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6	7
03	THR	3048 M	3048 M	3109 M	3048 M	Nil
21	THR	3048 M	3048 M	3109 M	3048 M	Nil

VYAS AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	RTHL colour WBAR	VASIS (MEHT) PAPI	RTZL LEN	RCLL LEN, spacing, colour, INTST	REDL LEN, spacing, colour, INTST	RENL colour, WBAR	STWL LEN, colour	Remarks
1	2	3	4	5	6	7	8	9	10
← 03	Nil	Green	Nil (14.9 M PAPI)		Nil	White(3048 M, Spacing 60 M, Final 600M of RWY end; Yellow, High Intensity)	Red	Nil	Nil
← 21	SALS (Elevated) 420 M LIM	Green	Nil (14.9 M PAPI)		Nil	White(3048 M, Spacing 60 M, Final 600M of RWY end; Yellow, High Intensity)	Red	Nil	Nil

VYAS AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	ABN: Control Tower, 2 Light Head Altn FLG WG/26 FLG/min.
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centre line lighting	Apron Edge: All blue
4	Secondary power supply/switch-over time	3 Min (Manual)
5	Remarks	Nil

VYAS AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Name	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Transition altitude	Remarks
Lateral limits Vertical limits Class of airspace				
1	2	3	4	5
ANISAKAN CTR Circle: radius 10 NM, centred at 215721.48N 0962422.85E ARP D	ANISAKAN CONTROL TOWER	ANISAKAN TWR: EN HO	9000 FT	Nil