

**VYBM — BANMAW**

*Note: The following sections in this chapter are intentionally left blank:  
AD 2.16, AD 2.21, AD 2.22, AD 2.23.*

**VYBM AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

VYBM — BANMAW

**VYBM AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<b>ARP coordinates and site at AD</b>	241614.99N 0971450.20E
2	<b>Direction and distance from city</b>	3.2 KM East of City
3	<b>Elevation/Reference temperature</b>	115.3 M (378 FT)/33.8°C
4	<b>Geoid undulation at ARP</b>	-45 M
5	<b>MAG VAR/Annual change</b>	1° W (1956)/annual change negligible
6	<b>AD Administration, address, telephone, telefax, telex, AFS</b>	DEPARTMENT OF CIVIL AVIATION Post: BANMAW AIRPORT BANMAW KACHIN STATE MYANMAR Tel: 95 74 50105 AFTN: VYBMYDYX
7	<b>Types of traffic permitted (IFR/VFR)</b>	IFR/VFR
8	<b>Remarks</b>	Nil

**VYBM AD 2.3 OPERATIONAL HOURS**

1	<b>AD Administration</b>	HO
2	<b>Customs and immigration</b>	HO
3	<b>Health and sanitation</b>	Health: Nil Sanitation: Nil
4	<b>AIS Briefing Office</b>	Nil
5	<b>ATS Reporting Office (ARO)</b>	Nil
6	<b>MET Briefing Office</b>	Nil
7	<b>ATS</b>	HO
8	<b>Fuelling</b>	Nil
9	<b>Handling</b>	HO
10	<b>Security</b>	Nil
11	<b>De-icing</b>	Nil
12	<b>Remarks</b>	Nil

**VYBM AD 2.4 HANDLING SERVICES AND FACILITIES**

1	<b>Cargo-handling facilities</b>	NilNil
---	----------------------------------	--------

2	<b>Fuel/oil types</b>	Fuel: Nil Oil: Nil
3	<b>Fuelling facilities/capacity</b>	Nil
4	<b>De-icing facilities</b>	Nil
5	<b>Hangar space for visiting aircraft</b>	Nil
6	<b>Repair facilities for visiting aircraft</b>	Nil
7	<b>Remarks</b>	Nil

### VYBM AD 2.5 PASSENGER FACILITIES

1	<b>Hotels</b>	Guest Houses available in town
2	<b>Restaurants</b>	Restaurants available in town
3	<b>Transportation</b>	Taxi services
4	<b>Medical facilities</b>	General Hospital
5	<b>Bank and Post Office</b>	Bank: Nil Post: Nil
6	<b>Tourist Office</b>	Nil
7	<b>Remarks</b>	Nil

### VYBM AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<b>AD category for fire fighting</b>	CAT 2
2	<b>Rescue equipment</b>	CAT 2
3	<b>Capability for removal of disabled aircraft</b>	Nil
4	<b>Remarks</b>	Nil

### VYBM AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

### VYBM AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	<b>Apron surface and strength</b>	Surface: Asphalt Concrete Strength: 33,112 kg Area: 61M x 76M
2	<b>Taxiway width, surface and strength</b>	Nil
3	<b>ACL location and elevation</b>	Nil
4	<b>VOR checkpoints</b>	Nil
5	<b>INS checkpoints</b>	Nil
6	<b>Remarks</b>	Nil

## VYBM AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<b>Aircraft stand ID signs</b>	Taxiing guidance signs at all intersections with TWY and RWY and at all holding positions: Guide lines at apron.
	<b>TWY guide lines and</b>	
	<b>Visual docking/parking guidance system of aircraft stands</b>	
2	<b>RWY and TWY markings and LGT</b>	RWY: Designation, THR, aiming point, Centre line, Edge RWY: Edge,THR and End Lighted
3	<b>Stop bars</b>	Nil
4	<b>Remarks</b>	Nil

## VYBM AD 2.10 AERODROME OBSTACLES

### In Area 2

Designator	Part ID	Type	Coordinates	ELEV	HGT	Marking/LGT type, colour	Remarks
1	2	3	4	5	6	7	8
LOI HDT TAUNG	Nil	Building	242041.49N 0971231.71E	330M	Nil	LGT	Nil
KYAR TAUNG	Nil	Building	242142.57N 0971004.44E	451M	Nil	LGT	Nil
MOUNT TOP 4	Nil	Building	242300.23N 0971139.85E	535M	Nil	LGT	Nil

### In Area 3

Designator	Part ID	Type	Coordinates	ELEV	HGT	Marking/LGT type, colour	Remarks
1	2	3	4	5	6	7	8
Nil							

## VYBM AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	<b>Associated MET Office</b>	Nil
---	------------------------------	-----

## VYBM AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY Designations	TRUE & MAG BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR & RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
15	149°	2286 M x 30	33,112 kg	241646.55N 0971428.84E	114.3M
33	329°	M	Concrete and asphalt	241543.43N 0971511.56E	115.3M

Slope of RWY-SWY	SWY dimensions	CWY dimensions (M)	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
0.05%	61 M x 30 M	Nil	2438 M x 122 M	Nil	Nil
0.05%	61 M x 30 M	Nil		Nil	Nil

### VYBM AD 2.13 DECLARED DISTANCES

RWY Designator	THR or start of take off run	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6	7
15	THR	2286 NM	2286 M	2347 M	2286 M	Nil
33	THR	2286 M	2286 M	2347 M	2286 M	Nil

### VYBM AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	RTHL colour WBAR	VASIS (MEHT) PAPI	RTZL LEN	RCLL LEN, spacing, colour, INTST	REDL LEN, spacing, colour, INTST	RENL colour, WBAR	STWL LEN, colour	Remarks
1	2	3	4	5	6	7	8	9	10
← 15	SALS (Elevated) 420 M LIM	Green	Nil (13.4 M) PAPI	Nil	Nil	White(2286M ,Spacing 60 M , Final 600M of RWY end; Yellow) LIM	Red	Nil	Nil
← 33	Nil	Green	Nil (13.4 M) PAPI	Nil	Nil	White(2286M ,Spacing 60 M , Final 600M of RWY end; Yellow) LIM	Red	Nil	Nil

### VYBM AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<b>ABN/IBN location, characteristics and hours of operation</b>	ABN: Control Tower, 2 Light Head Altn FLG WG/26 FLG/min(Rotating)
2	<b>LDI location and LGTAnemometer location and LGT</b>	Nil
3	<b>TWY edge and centre line lighting</b>	Apron Edge: All blue
4	<b>Secondary power supply/switch-over time</b>	3 Min (Manual)
5	<b>Remarks</b>	Nil

### VYBM AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Name	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Transition altitude	Remarks
Lateral limits Vertical limits Class of airspace	2	3	4	5
1	2	3	4	5
<b>BANMAW ATZ</b> Circle: radius 5 NM, centred at 241614.99N 0971450.20E ARP C	BANMAW TOWER	BANMAW TOWER: EN HO	10000 FT	Nil