

### VYLS AD 2.13 DECLARED DISTANCES

RWY Designator	THR or start of take off run	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6	7
← 01	THR	1981 M	1981 M	1981 M	1981 M	Nil
← 19	THR	1981 M	2285 M	2042 M	1981 M	Nil

### VYLS AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	RTHL colour WBAR	VASIS (MEHT) PAPI	RTZL LEN	RCLL LEN, spacing, colour, INTST	REDL LEN, spacing, colour, INTST	RENL colour, WBAR	STWL LEN, colour	Remarks
1	2	3	4	5	6	7	8	9	10
← 01	Nil	Green	Nil	Nil	Nil	White (Length 1981 M, Spacing 60 M of RWY end; Yellow) LIM	Red Final	Nil	Nil
← 19	Nil	Green	Nil (11.2 M) PAPI	Nil	Nil	White (Length 1981M, Spacing 60 M Final 600 M of RWY end; Yellow) LIM	Red	Nil	Nil

### VYLS AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<b>ABN/IBN location, characteristics and hours of operation</b>	ABN: CONTROL TOWER, 2 Light Head Altn Flg WG/26 FLG/min(Rotating)
2	<b>LDI location and LGT Anemometer location and LGT</b>	Nil
3	<b>TWY edge and centre line lighting</b>	TWY Edge : blue (Apron) , center line lighting - Nil
4	<b>Secondary power supply/switch-over time</b>	3 Min(Manual)
5	<b>Remarks</b>	Nil

### VYLS AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Name	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Transition altitude	Remarks
Lateral limits Vertical limits Class of airspace	2	3	4	5
1	2	3	4	5
<b>LASHIO CTR</b> Circle: radius 10 NM, centred at 225839.49N 0974508.68E ARP D	LASHIO TOWER	LASHIO TOWER: EN HO	10000 FT	Nil

### VYLS AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel	Hours of operation	Remarks
1	2	3	4	5
LASHIO TOWER	LASHIO TOWER: EN	118.700 MHz	HO	Nil

### VYLS AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid CAT of ILS/MLS (MAG VAR)	ID	Frequency	Hours of operation	Transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	LSO	370 kHz	HO	225839.46N 0974519.43E	Not applicable	Coverage: 50 NM Em: NON/A2A
DVOR/DME	LSO	116.8 MHz CH 115X	H24	225851.47N 0974515.19E	2545 FT	Coverage: 100 NM Em:

### VYLS AD 2.20 LOCAL TRAFFIC REGULATIONS

#### 1 AIRPORT REGULATIONS

Lashio Airport complies MCAR Part 139, Section 2 Aerodrome Standards. This aerodrome standard include the following:

- a. Physical Characteristic
- b. Obstacle Restriction and Removal
- c. Visual Aids for Navigation
- d. Visual Aids for Denoting Obstacles
- e. Visual Aids for Denoting Restricted Use Areas
- f. Electrical System
- g. Aerodrome Operational Services, Equipment and Installation
- h. Aerodrome Maintenance

#### 2 TAXIING TO AND FROM STANDS

Arriving aircraft will be allocated a stand number by the TWR.

### VYLS AD 2.24 CHARTS RELATED TO AN AERODROME

AERODROME CHART - ICAO ..... [AD 2.VYLS-ADC](#)  
 VISUAL APPROACH CHART-ICAO ..... [AD 2.VYLS-VAC](#)

AERODROME CHART - ICAO

22°58' 39. 49"N  
97°45' 08. 68"E

LASHIO/Lashio(VYLS)

TWR 118.7


AD ELEV 766.9 M

RWY	DIRECTION	THR	BEARING STRENGTH
01	005°	22°58'13.90"N 97°45'06.47"E	22727 Kg Runway
19	185°	22°59'05.86"N 97°45'10.96"E	

N

VAR 1° W


ELEVATION AND DIMENSION IN METRE  
BEARINGS ARE MAGNETIC



MARKING AIDS RWY 01/19



LIGHTING AIDS RWY 01/19



*PAGE INTENTIONALLY LEFT BLANK*