

## VYMS — MONG-HSAT

Note: The following sections in this chapter are intentionally left blank:  
AD 2.15, AD 2.16, AD 2.21, AD 2.22, AD 2.23.

### VYMS AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VYMS — MONG-HSAT

### VYMS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

|   |   |  |
|---|---|--|
| 1 | <b>ARP coordinates and site at AD</b>                             | 203105.13N 0991530.20E   |
| 2 | <b>Direction and distance from city</b>                           | 6 KM South-West of town  |
| 3 | <b>Elevation/Reference temperature</b>                            | 578.6 M (1898 FT)/26.0°C   |
| 4 | <b>Geoid undulation at ARP</b>                                    | Nil  |
| 5 | <b>MAG VAR/Annual change</b>                                      | 1° W (1956)/annual change negligible   |
| 6 | <b>AD Administration, address, telephone, telefax, telex, AFS</b> | DEPARTMENT OF CIVIL AVIATION<br>Post:<br>Mong-Hsat airport<br>MONG-HSAT<br>SHAN STATE<br>MYANMAR<br>Tel: 95 84 60160<br>AFTN: VYMSYDYX |
| 7 | <b>Types of traffic permitted (IFR/VFR)</b>                       | IFR/VFR  |
| 8 | <b>Remarks</b>  | Nil  |

### VYMS AD 2.3 OPERATIONAL HOURS

|    |                                   |                                |
|----|-----------------------------------|--------------------------------|
| 1  | <b>AD Administration</b>          | HO                             |
| 2  | <b>Customs and immigration</b>    | HS                             |
| 3  | <b>Health and sanitation</b>      | Health: Nil<br>Sanitation: Nil |
| 4  | <b>AIS Briefing Office</b>        | Nil                            |
| 5  | <b>ATS Reporting Office (ARO)</b> | Nil                            |
| 6  | <b>MET Briefing Office</b>        | Nil                            |
| 7  | <b>ATS</b>                        | HO                             |
| 8  | <b>Fuelling</b>                   | Nil                            |
| 9  | <b>Handling</b>                   | HO                             |
| 10 | <b>Security</b>                   | H24                            |
| 11 | <b>De-icing</b>                   | Nil                            |
| 12 | <b>Remarks</b>                    | Nil                            |

### VYMS AD 2.4 HANDLING SERVICES AND FACILITIES

|   |                                  |                          |
|---|----------------------------------|--------------------------|
| 1 | <b>Cargo-handling facilities</b> | Baggage Trolleys / Carts |
|---|----------------------------------|--------------------------|

|   |  |                       |
|---|--|-----------------------|
| 2 | <b>Fuel/oil types</b>                          | Fuel: Nil<br>Oil: Nil |
| 3 | <b>Fuelling facilities/capacity</b>            | Nil                   |
| 4 | <b>De-icing facilities</b>                     | Nil                   |
| 5 | <b>Hangar space for visiting aircraft</b>      | Nil                   |
| 6 | <b>Repair facilities for visiting aircraft</b> | Nil                   |
| 7 | <b>Remarks</b>                                 | Nil                   |

### VYMS AD 2.5 PASSENGER FACILITIES

|   |                             |  |
|---|-----------------------------|--|
| 1 | <b>Hotels</b>               | Available in town  |
| 2 | <b>Restaurants</b>          | Available in Airport Compound                            |
| 3 | <b>Transportation</b>       | Taxi and bus services available                          |
| 4 | <b>Medical facilities</b>   | Nil  |
| 5 | <b>Bank and Post Office</b> | Bank:<br>Available in town<br>Post:<br>Available in town |
| 6 | <b>Tourist Office</b>       | Nil  |
| 7 | <b>Remarks</b>              | Nil  |

### VYMS AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

|   |  |       |
|---|--|-------|
| 1 | <b>AD category for fire fighting</b>               | CAT 2 |
| 2 | <b>Rescue equipment</b>                            | CAT 2 |
| 3 | <b>Capability for removal of disabled aircraft</b> | TBN   |
| 4 | <b>Remarks</b>                                     | Nil   |

### VYMS AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

### VYMS AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

|   |  |   |
|---|--|---|
| 1 | <b>Apron surface and strength</b>          | Surface: Bitumen<br>Strength: 20,412 kg<br>Area: 168 M x 61 M |
| 2 | <b>Taxiway width, surface and strength</b> | Nil   |
| 3 | <b>ACL location and elevation</b>          | Nil   |
| 4 | <b>VOR checkpoints</b>                     | Nil   |
| 5 | <b>INS checkpoints</b>                     | Nil   |
| 6 | <b>Remarks</b>                             | Nil   |

**VYMS AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

| Type of aid<br>CAT of ILS/MLS<br>(MAG VAR) | ID | Frequency | Hours of<br>operation | Transmitting antenna<br>coordinates | Elevation of DME<br>transmitting antenna | Remarks                        |
|--|----|-----------|-----------------------|-------------------------------------|--|--------------------------------|
| 1  | 2  | 3         | 4                     | 5                                   | 6  | 7                              |
| NDB  | MS | 312 kHz   | HO                    | 203101.37N<br>0991525.61E           | Not applicable                           | Coverage: 50 NM<br>Em: NON/A2A |

**VYMS AD 2.20 LOCAL TRAFFIC REGULATIONS****1 AIRPORT REGULATIONS**

Mong-Hsat Airport complies MCAR Part 139, Section 2 Aerodrome Standards. This aerodrome standard include the following:

- a. Physical Characteristic
- b. Obstacle Restriction and Removal
- c. Visual Aids for Navigation
- d. Visual Aids for Denoting Obstacles
- e. Visual Aids for Denoting Restricted Use Areas
- f. Electrical System
- g. Aerodrome Operational Services, Equipment and Installation
- h. Aerodrome Maintenance

**2 TAXIING TO AND FROM STANDS**

Arriving aircraft will be allocated a stand number by the TWR.

**VYMS AD 2.24 CHARTS RELATED TO AN AERODROME**

Aerodrome Chart - ICAO ..... [AD 2.VYMS-ADC](#)  
Instrument Approach Chart - ICAO - RWY 12 NDB ..... [VYMS AD 2-9](#)

*PAGE INTENTIONALLY LEFT BLANK*

**AERODROME CHART - ICAO**

20°31' 05. 13"N  
99°15' 30. 20"E

TWR 118.7


**MONG-HSAT/Mong-hsat(VYMS)**

**AD ELEV 578.6 M**

| RWY | DIRECTION | THR                                | BEARING<br>STRENGTH |
|-----|-----------|------------------------------------|---------------------|
| 12  | 123°      | 20°31' 18. 66"N<br>99°15' 08. 17"E | 20 412 Kg<br>Runway |
| 30  | 303°      | 20°30' 51. 63"N<br>99°15' 52. 22"E |                     |




ELEVATION AND DIMENSION IN METRE  
BEARINGS ARE MAGNETIC



**MARKING AIDS RWY 12/30**



**LIGHTING AIDS RWY 12/30**



*PAGE INTENTIONALLY LEFT BLANK*