

VYMW AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of Aircraft stand ID signs	Taxiing guidance signs at all intersections with TWY and RWY and at all holding positions: Guide lines at apron.
	TWY guide lines	
	Visual docking/parking guidance system of aircraft stands	
2	RWY and TWY markings and LGT	RWY: Designation, THR, Centre line, aiming point, Edge Markings RWY: Edge, THR and End Lighted TWY: Edge Lighted
3	Stop bars	Nil
4	Remarks	Nil

VYMW AD 2.10 AERODROME OBSTACLES

In Area 2

Designator	Part ID	Type	Coordinates	ELEV	HGT	Marking/LGT type, colour	Remarks
1	2	3	4	5	6	7	8
OBST 06	Nil	Building	201134.37N 0950408.35E	274M	Nil	LGT	Nil
OBST 08	Nil	Building	201059.92N 0945844.84E	118M	Nil	LGT	Nil
PAGODA	Nil	Building	201623.33N 0945425.48E	148M	Nil	LGT	Nil

In Area 3

Designator	Part ID	Type	Coordinates	ELEV	HGT	Marking/LGT type, colour	Remarks
1	2	3	4	5	6	7	8
Nil							

VYMW AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	to be notified
---	------------------------------	----------------

VYMW AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY Designations	TRUE & MAG BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR & RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
01	008.00°	2591 M x 61 M	165,000 KG Concrete	THR: 200831.30N 0945759.88E	THR: 84.4M
19	188.00°			THR: 200954.51N 0945813.93E	THR: 90.9M

Slope of RWY-SWY	SWY dimensions	CWY dimensions (M)	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
-0.25%	61 M x 61 M	Nil	2895 M x 150 M	Nil	Nil
-0.25%	61 M x 61 M	Nil		Nil	Nil

VYMW AD 2.13 DECLARED DISTANCES

RWY Designator	THR or start of take off run	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6	7
01	THR	2591 M	2591 M	2652 M	2591 M	Nil
19	THR	2591 M	2591 M	2652 M	2591 M	Nil

VYMW AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	RTHL colour WBAR	VASIS (MEHT) PAPI	RTZL LEN	RCLL LEN, spacing, colour, INTST	REDL LEN, spacing, colour, INTST	RENL colour, WBAR	STWL LEN, colour	Remarks
1	2	3	4	5	6	7	8	9	10
← 01	Nil	Green	Nil (15.1 M) PAPI	Nil	Nil	White (Spacing 60 M, Final 600 M of RWY end; Yellow, High Intensity)	Red	Nil	Nil
← 19	SALS (Elevated, 420 M LIM	Green	Nil (15.1 M) PAPI	Nil	Nil	White (Spacing 60 M, Final 600 M of RWY end; Yellow, High Intensity)	Red	Nil	Nil

VYMW AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	ABN: Control Tower , 2 Light Head Altn Flg WG/26 FLG/min (Rotating)
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centre line lighting	Edge: All blue
4	Secondary power supply/switch-over time	3 MIN (Manual)
5	Remarks	Nil

VYMW AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Name	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Transition altitude	Remarks
Lateral limits Vertical limits Class of airspace	2	3	4	5
1	2	3	4	5
MAGWAY CTR Circle: radius 10 NM, centred at 200912.90N 0945806.90E ARP D	MAGWAY TOWER	MAGWAY TWR: EN HO	7000 FT	Nil