

VYTD — THANDWE

*Note: The following sections in this chapter are intentionally left blank:
AD 2.16, AD 2.21, AD 2.22, AD 2.23.*

VYTD AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VYTD — THANDWE

VYTD AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	182738.35N 0941758.94E
2	Direction and distance from city	9.3 KM from town
3	Elevation/Reference temperature	14.2 M (47 FT)/Nil
4	Geoid undulation at ARP	-49 M
5	MAG VAR/Annual change	1° W (1956)/annual change negligible
6	AD Administration, address, telephone, telefax, telex, AFS	DEPARTMENT OF CIVIL AVIATION Post: Thandwe airport THANDWE RAKHINE STATE MYANMAR Tel: 95 43 42272 AFTN: VYTDYDYX
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	Nil

VYTD AD 2.3 OPERATIONAL HOURS

1	AD Administration	HO
2	Customs and immigration	HS
3	Health and sanitation	Health: Nil Sanitation: Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	HO
8	Fuelling	Nil
9	Handling	HO
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

VYTD AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Baggage trolley
---	----------------------------------	-----------------

2	Fuel/oil types	Fuel: Nil Oil: Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

VYTD AD 2.5 PASSENGER FACILITIES

1	Hotels	Available in airport compound
2	Restaurants	Available in airport compound
3	Transportation	Taxi services
4	Medical facilities	Nil
5	Bank and Post Office	Bank: Nil Post: Nil
6	Tourist Office	Nil
7	Remarks	Nil

VYTD AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 3
2	Rescue equipment	CAT 3
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

VYTD AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

VYTD AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength and area	Surface: Bitumen Strength: 40,823 kg Area: 137 M x 98 M
2	Taxiway width, surface and strength	Nil
3	ACL location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

VYTD AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Aircraft stand ID signs	Nil
	TWY guide lines	
	Visual docking/parking guidance system of aircraft stands	
2	RWY and TWY markings and LGT	RWY: edge, THR and End LGT
3	Stop bars	Nil
4	Remarks	Nil

VYTD AD 2.10 AERODROME OBSTACLES

In Area 2

Designator	Part ID	Type	Coordinates	ELEV	HGT	Marking/LGT type, colour	Remarks
1	2	3	4	5	6	7	8
OBSTACLE	Nil	Building	182813.22N 0941857.84E	87M	Nil	LGT	Nil
OBSTACLE	Nil	Building	182920.32N 0941915.21E	92M	Nil	LGT	Nil
GAW TAUNG	Nil	Building	183011.67N 0941554.90E	179M	Nil	LGT	Nil

In Area 3

Designator	Part ID	Type	Coordinates	ELEV	HGT	Marking/LGT type, colour	Remarks
1	2	3	4	5	6	7	8
Nil							

VYTD AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	to be notified
---	-----------------------	----------------

VYTD AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY Designations	TRUE & MAG BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR & RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
02	021.00°	2439 M x 30	40,823 Kg	182714.01N 0941749.55E	3.3M
20	201.00°	M	Asphalt Concrete	182828.43N 0941818.31E	14.2M

Slope of RWY-SWY	SWY dimensions	CWY dimensions (M)	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
0.8%	152 M x 30 M	Nil	2687 M x 150 M	Nil	Nil
0.05%	Nil	Nil		Nil	Nil

VYTD AD 2.13 DECLARED DISTANCES

RWY Designator	THR or start of take off run	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6	7
02	THR	2439 M	2439 M	2591 M	2439 M	Nil

RWY Designator	THR or start of take off run	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6	7
20	THR	2439 M	2439 M	2439 M	2439 M	Nil

VYTD AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	RTHL colour WBAR	VASIS (MEHT) PAPI	RTZL LEN	RCLL LEN, spacing, colour, INTST	REDL LEN, spacing, colour, INTST	RENL colour, WBAR	STWL LEN, colour	Remarks
1	2	3	4	5	6	7	8	9	10
← 02	Nil	Green	Nil (12.2 M) PAPI	Nil	Nil	White (Length 2439 M, Spacing 60 M Final 600 M of RWY end; Yellow) LIM	Red	Nil	Nil
← 20	Nil	Green	Nil (15.2 M) PAPI	Nil	Nil	White (Length 2439 M, Spacing 60 M Final 600 M of RWY end; Yellow) LIM	Red	Nil	Nil

VYTD AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	ABN: between Control Tower & Terminal, 2 Light Head Altn Flg WG/26 FLG/min (Rotating)
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centre line lighting	Apron Edge: All blue
4	Secondary power supply/switch-over time	3 MIN (Manual)
5	Remarks	Nil

VYTD AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Name	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Transition altitude	Remarks
Lateral limits Vertical limits Class of airspace	1	2	3	4
THANDWE ATZ Circle: radius 5 NM, centred at 182738.35N 0941758.94E ARP C	THANDWE TOWER	THANDWE TOWER: EN HO	6000 FT	Nil