

## VYTL AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Aircraft stand ID signs	Nil
	TWY guide lines	
	Visual docking/parking guidance system of aircraft stands	
2	RWY and TWY markings and LGT	RWY: Designation, THR, Centre line, Edge RWY edge/end lgt, THR lgt
3	Stop bars	Nil
4	Remarks	Nil

## VYTL AD 2.10 AERODROME OBSTACLES

### In Area 2

Designator	Part ID	Type	Coordinates	ELEV	HGT	Marking/LGT type, colour	Remarks
1	2	3	4	5	6	7	8
OBST 13	Nil	Building	203011.40N 0995815.42E	625M	Nil	LGT	Nil
OBST 05	Nil	Building	203414.35N 0995554.72E	949M	Nil	LGT	Nil
OBST 02	Nil	Building	203027.45N 1000214.64E	1100M	Nil	LGT	Nil

### In Area 3

Designator	Part ID	Type	Coordinates	ELEV	HGT	Marking/LGT type, colour	Remarks
1	2	3	4	5	6	7	8
Nil							

## VYTL AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	to be notified
---	-----------------------	----------------

## VYTL AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

RWY Designations	TRUE & MAG BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR & RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
04	038.00°	2149 M x 30	33,112 KG	202837.83N 0995542.84E	388.7M
22	218.00°	M	Asphalt Concrete	202932.81N 0995627.76E	388.2M

Slope of RWY-SWY	SWY dimensions	CWY dimensions (M)	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
0.03%	61 M x 30 M	Nil	2301 M x 140 M	Nil	Nil
-0.08%	61 M x 30 M	Nil		Nil	Nil

### VYTL AD 2.13 DECLARED DISTANCES

RWY Designator	THR or start of take off run	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6	7
04	THR	2149 M	2149 M	2210 M	2149 M	Nil
22	THR	2149 M	2149 M	2210 M	2149 M	Nil

### VYTL AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	RTHL colour WBAR	VASIS (MEHT) PAPI	RTZL LEN	RCLL LEN, spacing, colour, INTST	REDL LEN, spacing, colour, INTST	RENL colour, WBAR	STWL LEN, colour	Remarks
1	2	3	4	5	6	7	8	9	10
← 04	Nil	Green	Nil	Nil	Nil	White (Length 2149 M, Spacing 60 M, Final 600 M of RWY end; Yellow) LIM	Red	Nil	Nil
← 22	Nil	Green	Nil (13.4 M) PAPI	Nil	Nil	White (Length 2149 M, Spacing 60 M, Final 600 M of RWY end; Yellow) LIM	Red	Nil	Nil

### VYTL AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	ABN: Control Tower, 2 Light Head Altn Flg WG/26 FLG/min(Rotating)
2	LDI location and LGT Anemometer location and LGT	Nil
← 3	TWY edge and centre line lighting	Nil
4	Secondary power supply/switch-over time	3 MIN (Manual)
5	Remarks	Nil

### VYTL AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Name	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Transition altitude	Remarks
Lateral limits Vertical limits Class of airspace	2	3	4	5
1	2	3	4	5
<b>TACHILEIK ATZ</b> Circle: radius 5 NM, centred at 202905.32N 0995605.30E ARP C	TACHILEIK TOWER	TACHILEIK TOWER: EN HO	9000 FT	Nil

Lateral limits	Name		Unit providing service	Call sign Languages Area and conditions of use Hours of service	Transition altitude	Remarks
	Vertical limits	Class of airspace				
1	2	3	4	5		
<b>TACHILEIK CTR</b> Circle: radius 20 NM, centred at 202905.32N 0995605.30E ARP	FL 130 STD GND		TACHILEIK APPROACH	TACHILEIK APPROACH: EN HO	9000 FT	Nil
C						

## VYTL AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel	Hours of operation	Remarks
1	2	3	4	5
TACHILEIK APPROACH	TACHILEIK APPROACH: EN	119.700 MHz	HO	Nil
TACHILEIK TOWER	TACHILEIK TOWER: EN	118.700 MHz	HO	Nil

## VYTL AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid CAT of ILS/MLS (MAG VAR)	ID	Frequency	Hours of operation	Transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
DVOR/DME	TCL	114.5 MHz CH 92X	HO	202901.11N 0995607.75E	426 M	Coverage: 50 NM Em: A9W
NDB	TL	375 kHz	HO	202858.33N 0995603.98E	Not applicable	Coverage: 50 NM Em: NON/A2A

## VYTL AD 2.20 LOCAL TRAFFIC REGULATION

### 1 AIRPORT REGULATIONS

Tachileik Airport complies MCAR Part 139, Section 2 Aerodrome Standards. This aerodrome standard include the following:

- Physical Characteristic
- Obstacle Restriction and Removal
- Visual Aids for Navigation
- Visual Aids for Denoting Obstacles
- Visual Aids for Denoting Restricted Use Areas
- Electrical System
- Aerodrome Operational Services, Equipment and Installation
- Aerodrome Maintenance

### 2 TAXIING TO AND FROM STANDS

Arriving aircraft will be allocated a stand number by the TWR.

## VYTL AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome Chart - ICAO - ..... [AD 2.VYTL-ADC](#)  
Instrument Approach Chart - ICAO ..... [AD 2.VYTL-VOR/DME22](#)  
Instrument Approach Chart - ICAO - RWY 22 NDB ..... [VYTL AD 2-9](#)


*PAGE INTENTIONALLY LEFT BLANK*

AERODROME CHART - ICAO

20°29' 05.32"N  
099°56' 05.30"E  
AD ELEV 388.7 M

TWR 118.7


TACHILEIK/  
Tachileik



MARKING AIDS RWY 04/22



LIGHTING AIDS RWY 04/22



*PAGE INTENTIONALLY LEFT BLANK*